

TRILLIUM WSP™ SELF-PRIMER PUMPS

THE TOUGHEST TRASH PUMP IN THE MARKET FOR SOLID-LADEN FLUIDS

- ✓ Streamlined Maintenance
- ✓ Improved Safety
- ✓ Rugged Construction
- ✓ Reliable Self-Priming Trash Pump




WE'RE ALL ABOUT EXPERIENCE.

1300 255 786 | allpumps.com.au

The Trillium Flow Technologies™ WSP™ self-primer pump is a rugged and dependable self-priming trash pump that allows for a shim-less, tool-less impeller adjustment and ease of suction flap valve replacement. To extend the operational life of WSP™ pumps, Trillium use the most durable materials with the highest wear and corrosion resistance. Applying advanced engineering techniques, the WSP™ range of pumps was developed to serve food and beverage processing, waste management, and material processing industries globally. Trillium WSP™ Self-Primer pumps and parts are directly interchangeable with GRESCO®, Pioneer®, and Gorman-Rupp® pumps, offering flexibility in your applications.

FEATURES



BUZZSAW WEAR PLATE

- ✔ With an aggressive saw tooth-shaped profile, it shears stringy materials as they pass through the pump, preventing clogs
- ✔ Helps prevent the WSP™ self-primer pump from running in a state of partial clog
- ✔ Allows the pump to run at higher overall efficiencies while lowering maintenance costs, extending valuable runtime

LONGER BEARING LIFE

- ✔ Bearings designed to withstand high loads
- ✔ Mounted in removable housing for easy replacement

INNOVATIVE SEALING OPTION

- ✔ Large-diameter expeller seal design prevents leaks and protects against high inlet pressures
- ✔ Optional remote-adjusting and patented D-Gland seal for parallel adjustment of sealing

FILL PORT COVER FOR INCREASED SAFETY

- ✔ The recessed bolt-locking construction and anti-rotation design of the clamp bar assembly prevent accidental breaches of the fill port cover, protecting the operator from scalding burns.

WSP™ Self-Primer Pumps



SIZE	FLOW	HEADS	REPRIMING LIFT	SOLIDS SIZE
2" (50mm)	Up to 51 m ³ /hr	Up to 31m	Up to 7.3m	38mm
3" (75mm)	Up to 102 m ³ /hr	Up to 34m	Up to 7.6m	63.5mm
4" (100mm)	Up to 166 m ³ /hr	Up to 36m	Up to 7.6m	75mm
6" (150mm)	Up to 336 m ³ /hr	Up to 34m	Up to 7.6m	75mm
8" (200mm)	Up to 595 m ³ /hr	Up to 34m	Up to 7m	75mm
10" (250mm)	Up to 727 m ³ /hr	Up to 41m	Up to 6.7m	75mm





WSP™ High Head Self-Primer Pumps

SIZE	FLOW	HEADS	REPRIMING LIFT	SOLIDS SIZE
3" (75mm)	Up to 84 m ³ /hr	Up to 64m	Up to 7m	20mm
4" (100mm)	Up to 148 m ³ /hr	Up to 58m	Up to 5.1m	28mm
6" (150mm)	Up to 309 m ³ /hr	Up to 53m	Up to 4.5m	32mm

APPLICATIONS


DEWATERING

FOOD & BEVERAGE

MEAT PROCESSING

MINING

MANUFACTURING


PULP & PAPER

WASTEWATER

**TANKER TRUCK
LOADING/UNLOADING**

WHY USE ALL-PUMPS?


Locally
stocked
product and
spare parts



Trusted
application
expertise from
experience built
up since 1972



Comprehensive
engineering
capability for
turnkey
packages



Full
maintenance
and repair
offering



Leading
Quality
Products





WSP™ SERIES

All-Pumps is an exclusive industrial distributor of
Trillium WSP™ Pumps in Australia.



- 📍 Silverwater NSW 2128
- ✉ sales@allpumps.com.au
- ☎ 1300 255 786
- 🌐 www.allpumps.com.au

WE'RE ALL ABOUT EXPERIENCE.