

TRILLIUM FLOW TECHNOLOGIES

HORIZONTAL, RADIALLY SPLIT, SINGLE-STAGE, OVERHUNG PUMP





3

Δ	Ρ	I	_	6	1	Λ
11		1		U	+	U

TYPE: 0H2

TRILLIUM PUMP MODEL: R

OVERVIEW

Trillium Flow Technologies' updated R pump range combines the engineering excellence, innovation, and heritage of our Gabbioneta Pumps® and Termomeccanica Pompe brands. Our expertise in designing and manufacturing OH2 pumps dates back to the 1960s, with thousands of units installed globally. This API-compliant R pump range is engineered with a back pull-out design for ease of maintenance and maximum hydraulic flexibility; our OH2 pump excels across many applications.

KEY FEATURES

Fully API 610 compliant

Integral case connections to avoid non-destructive testing on larger frame sizes

- ① Heavy-duty shaft to minimize rotor defection and maximize uptime
- 2 API 682 compliant seal chamber

1

- ③ Single impeller with optimized hydraulics to minimize NPSH requirements
- (4) Heavy-duty case suitable for 2x API nozzle loads
- **(5)** Back pull-out design for simple maintenance
- ⑤ Back pull-out design also allows quick hydraulic re-rates
- Ouble volute to minimize radial thrust on most sizes (over 2" discharge)



OPTIONS

All API material options: S-4, S-5, S-6, S-8, C-6, A-8, D-1, D-2, and bespoke options High temperature alignment options Bearing arrangements to accommodate oil mist, purge mist, and various cooling configurations Magnetic coupling options also available


Specialist Options: Inducer, High Temperature Alignment

MAIN APPLICATIONS

High Temperature Refining Hydrocarbon Transfer Petrochemical Plants Booster Applications

OPERATING RANGE

Capacity: up to 4,000 m³/hr, 17,610 USGPM Head: up to 400 m, 1,300 ft Temperature: up to 427°C, 800°F Speed of rotation: Up to 4,000 RPM



WHY USE ALL-PUMPS?











Locally stocked product and spare parts


Trusted application expertise from experience built up since 1972

Comprehensive engineering capability for turnkey packages

> Full maintenance and repair offering

> > Leading Quality Products





Silverwater NSW 2128

sales@allpumps.com.au

1300 255 786www.allpumps.com.au